# STAIRPLAN

- Staircase Models & Specifications - Click on the Stair name for more information -



#### Value

We offer a wide selection of conventional staircases which offer exeptional value.

#### **Trade Range**

The Trade Range of staircases manufactured in EdgeLam Pine with MDF Treads With MDF or Plywood Risers.

Trade Range with Glass

#### **Craftsmans Staircases**

Stairplan's Craftsman's Range of staircases are manufactured to a more durable specification with timber treads.

We offer a selection of timbers and options within the Craftsmans Range.

#### **Craftsmans Pine Staircases**

**Craftsmans Oak With Glass** 

**Newark Staircase** - Combination of Pine and Oak **Newark Staircase** - With Vision glass Balustrade **Craftsmans Oak Staircases** 



#### **Premium**

Premium staircases, available in a wide selection of styles and materials.



**Preston 90 - Premium Oak Closed Staircase** 

**Preston 120 -** Heavy Premium Oak Closed Staircase

Preston 120 Open - Premium Oak Open Riser Staircase

Manhattan - Premium Oak Staircase With Unique Tread Detail

Manhattan + LED's - Premium Oak Staircase inset LED's

**Highlander -** Chunky Pine Closed Staircase

Harlech - Chunky Oak Closed Staircase

Kensington - The Kensington Oak Cut String Staircase

**Brooklyn -** The Brooklyn Traditional Cut String Staircase

**Prescott -** Prescott Bespoke Heavy Cut String Staircase

**New England -** Heavy Walnut and White Cut String Staircase

**New York -** Walnut and White Cut String Staircase

**Boston -** The Boston Oak Open Riser Staircase

**Euro** - The European Style Open Riser Staircase

Townsend - Heavy Premium Oak Open Riser Staircase

**Denver -** Contemporary Oak or Walnut & Glass Staircase

Dallas - Contemporary Design with Stepped Glass Balustrade

Iroko External - Iroko Hardwood staircases for the Outdoors



#### **Premium Plus**

On our Premium Plus staircases we have greater flexibility to tailor our staircase specifications.

Site Measure, Design and Installation Service.

#### X-Vision

The Ultimate Contemporary Luxury Staircase - Central spine construction with a full range of options including LED Lights.

#### **Z-Vision**

Contemporary Closed Stair design with Central spine construction

#### **V-Vision**

Luxury Contemporary Closed Stair design with Offset support spine construction Available in White Ash, European Oak and American Black Walnut - Link

#### **Marrion Staircase**


Contemporary Closed Stair design with Frameless Glass Balustrade Link


#### **Curved Staircases**


Curved staircases and Wreathed construction is also available on our Premium stair ranges - <u>Link</u>

Scroll down to see the models

# **Value Staircases Trade Range**







#### **The Trade Range staircase**

We offer a unlimited range of stair layout configurations with total flexibility on design alterations and a wide selection of options in balustrade style.

#### **Specification**

No Handrails

Strings - 32mm EdgeLam Engineered Pine

Treads - 22mm MDF

Risers - 12mm MDF & Plywood Options

Typical String Depth 250mm


Newel Posts - 90 x 90mm Pine Square, Stop Chamfered or Turned

Spindles - 32 x 32mm & 41 x 41mm Pine Square, Stop Chamfered or Turned

With Handrails

Handrail - Pine STHR Profile

Baserail - Pine STBR Profile



# **Balusters** Spind

#### TradeStairs - Trade Range Staircases + Vision Glass Balustrade

The Trade Range Staircase is also available with the Vision Glass balustrade option for a more contemporary style.

We can offer the staircase in the Raw, Pre - Primed or Pre Finished.

8mm Toughened Glass with Glass Glamps. CLHR Oak Handrail Section.


Pine Baserail with Oak Inlay.




Baserail Infill and Glass Clamp detail.



Newel Cap and Stop Chamfer Option





STAIRPLAN





The Craftsmans range of staircases offer a great value solution without the compromise of MDF treads. Interlocking Glue block detail for creak reduction.

Square Newels & Balusters

With Handrails

Turned Newels & Spindles

We offer a unlimited range of stair layout configurations with total flexibility on design alterations and a wide selection of options in balustrade style.

With Handrails

#### **Specification**

No Handrails

Strings - 32mm EdgeLam Engineered Pine

Treads - 22mm EdgeLam Engineered Pine

Risers - 12mm Plywood

Typical String Depth 250mm

Newel Posts - 90 x 90mm Pine Square, Stop Chamfered or Turned

Spindles - 32 x 32mm & 41 x 41mm Pine Square, Stop Chamfered or Turned

Handrail - Pine STHR Profile

Baserail - Pine STBR Profile

Handrail Fixings - Stelten





Cost £

Lifespan

Strength

**Options** 













The Newark Staircase expands on our Craftsmans Pine range of staircases by upgrading balustrade components to Oak. Stelten Handrail to Newel Connections

We offer a unlimited range of stair layout configurations with total flexibility on design alterations and a wide selection of options in balustrade style.

#### **Specification**

Strings - 32mm EdgeLam Engineered Pine

Treads - 22mm EdgeLam Engineered Pine

Risers - 12mm Plywood

Typical String Depth 250mm

Newel Posts - 90 x 90mm Pine or Oak Square, Stop Chamfered or Turned

Spindles - 32 x 32mm & 41 x 41mm Oak Square, Stop Chamfered or Turned

Handrail - Oak STHR Profile

Baserail - Oak STBR Profile






STAIRPLAN

### **Value Staircases**

### **Newark Staircase With Vision Glass**







Recessed

Cost £

Lifespan

Strength

**Options** 

Long Term Value

#### **The Newark Staircase**

The Newark Staircase is also available with our Vision Glass. Balustrade Options

#### **Specification**

Strings - 32mm EdgeLam Engineered Pine

Treads - 22mm EdgeLam Engineered Pine

Risers - 12mm Plywood


Typical String Depth 250mm

Newel Posts - 90 x 90mm Pine or Oak Square.


Vision Glass - 10mm Thickness with SV-BRAC Glass Clamps or Recessed / Grooved

Handrail - Oak STHR ot Square Profile

Baserail - Oak STBR Profile



Matching Landing Balustrade available



Risers - 12mm Plywood or Oak Veneered

Typical String Depth 250mm

Newel Posts - 90 x 90mm Oak or Oak Square, Stop Chamfered or Turned

Spindles - 32 x 32mm & 41 x 41mm Oak Square, Stop Chamfered or Turned

Handrail - Oak STHR Profile

Baserail - Oak STBR Profile



#### New Contemporary Spindle Selection - Select Oak




# Glass Balustrade Options



Brackets - SV-BRAC


Recessed







# Craftsmans Oak Staircases With Vision Glass



# Craftsmans Oak Staircase with Pine Treads for full width carpet and Vision Glass Balustrade with Brackets

Shown here with the SQ double go curtail entry step option and the SQ bullnose second step entry steps >

#### **Specification**

Strings - 32mm EdgeLam Select Oak

Treads - 22mm EdgeLam Engineered Pine

Risers - 12mm Plywood

Typical String Depth 250mm

Newel Posts - 90 x 90mm Oak or Oak Square,

Vision Glass - 10mm with SV-BRAC Glass Clamps

Handrail - Oak STHR Profile

Baserail - Oak STBR Profile

Landing Balustrades available to matchTypical return landing balustrade shown with optional HTHandrail turn fitting


Cost £	$\bigcirc \mathbf{E} \mathbf{E} \mathbf{E}$
Lifespan	
Strength	
<b>Design Flexibility</b>	
<b>Options</b>	
Long Term Value	



# **Premium Staircases Houston Oak Staircases**









Recessed

#### **Specification**

Strings - 32mm EdgeLam Select Oak

Treads - 22mm EdgeLam Select Oak Risers - 12mm Oak Veneered

Typical String Depth 265mm

Newel Posts - 90 x 90mm Oak Square


Vision Glass - 10mm Toughened - Recessed or with Brackets

Handrail - Oak Houston Profile

Baserail - Oak SQBR Profile








# STAIRPLAN Premium Staircases

### **Preston 90 Oak Staircases**







**Recommended Option** 

#### - Structured Textured Treads for enhanced slip resistance








The Preston Staircase - Built to stand the test of time..

Constructed with Heavy Solid Oak Tread and Riser sections the Preston Staircase is built to provide a lifetime of service.

Featuring contemporary Recessed Vision Glass Balustrade. Closed String Construction with Double Go Feature Entry Step, Bullnose Second Step both in the Solid Oak Heavy Square Design.

#### STAIRPLAN **Premium Staircases**

### **Preston 120 Oak Staircases**




#### **Preston 120 Oak Staircase**

#### **Specification**

Strings - 32mm EdgeLam Select Oak Treads - 32mm EdgeLam Select Oak Risers - 20mm EdgeLam Select Oak Typical String Depth 265mm Newel Posts - 120 x 120mm Oak Square Vision Glass - 10mm Toughened - Recessed or with Brackets Handrail - Oak 80 x 60mm STHR Profile Baserail - Oak SQBR Profile




Available with 55mm balusters



- Structured Textured Treads for enhanced slip resistance







The 120 Preston Staircase - Built to stand the test of time...


Constructed with Heavy Solid Oak Tread and Riser sections the Preston Staircase is built to provide a lifetime of service. Featuring the larger Newel post and handrail sections for staircases with wider than standard widths, contemporary Recessed Vision Glass Balustrade. Closed String Construction with Double Go Feature Entry Step, Bullnose Second Step both in the Solid Oak Heavy Square Design.

# STAIRPLAN Premium Staircases

# **Preston 120 Oak Staircases**


The Preston 120 Staircase is also available as a Openplan staircase as well as a closed staircase.





#### **The 120 Preston Openplan Option**


Constructed with 90mm Hollow Oak Tread with a small Riser downstand section the Preston 120 Openplan Staircase offers a similar style to the Townsend Staircase but with a lighter weight and price tag.




#### The 120 Preston Openplan - Underside view

From the underside you see the heavy 90mm tread section giving the staircase strength and its premium feel.

We have this staircase to view in our showroom.





#### **The Dallas Staircase**

Contemporary Cut String Staircase with Stepped Glass Balustrade
Shown here with the Double Go Feature Entry Step Option.

#### **Specification**


Strings - 32mm EdgeLam Pine
Treads - 32mm EdgeLam Red Oak
Risers - 20mm EdgeLam Pine
Typical String Depth 300mm
Newel Posts - 90 x 90mm Pine Square
Vision Glass - 10mm Toughened
- with SQ-BRAC Brackets
Handrail - Red Oak 66 x 60mm STHR Profile
Baserail - N/A

#### **Recommended Option**

- Structured Textured Treads for enhanced slip resistance







## Manhattan Oak Staircases



#### **Manhattan Oak Staircase**

#### **Specification**

Strings - 32mm EdgeLam Select Oak

Treads - 32mm EdgeLam Select Oak

Risers - 20mm EdgeLam Select Oak

Typical String Depth 265mm

Newel Posts - 120 x 120mm Oak Square

Balusters - 55mm Square Select Oak

Handrail - STHR55 Profile

Baserail - Oak STBR55 Profile

#### Also available with Vision Glass Balustrade





Brackets


Recessed

Cost £	
Lifespan	
Strength	
Design Flexibility	
Options	
Long Term Value	

#### The Manhattan Staircase - Unique Tread and Riser detail


Constructed with Heavy Solid Oak Tread and Riser sections the Manhattan Staircase is built to provide a lifetime of service. Featuring the larger Newel post and handrail sections for staircases with wider than standard widths, Unique Tread and Riser detail to allow the carpet to come halfway down the riser.

Available with Optional No wedge Construction.



#### Measuring Service Available

Our Surveyor is available to come and measure for the staircase as insurance the staircase will work for you. this Service is available on confirmed orders at additional cost.




### Manhattan Oak Staircase With LED's






The Manhattan Staircase - With LED Light Option



Shown here with the No Wedge construction and concealed wiring detail.

Natural White LED's
Double Sided Double go SQ Curtail entry Step
Double SQ Bullnose Second Step (Preston style)

Cost £	£ £ £ £
Lifespan	
Strength	
<b>Design Flexibility</b>	
Options	
Long Term Value	



STAIRPLAN

# Highlander Staircase



#### **Highlander Staircase**

This heavy specification pine staircase lends itself to the larger staircase. shown here with the 150mm newel post option the Highlander staircase is also available with 120mm newel posts.

#### **Specification**

Strings - 32mm EdgeLam Pine

Treads - 22mm - 32mm EdgeLam Pine

Risers - 12mm Plywood

Typical String Depth 265mm

Newel Posts - 150 x 150mm Pine Square

Balusters - 55mm Pine Square

Handrail - STHR55 Profile - Select Oak

Baserail - STBR55 Profile - Pine

Bold Chunky Design

Shown here in a classic Grey Colour the Highlander staircase comes as standard in the raw timber for you to decorate in your own colour of choice.


Cost £	
Lifespan	
Strength	
Design Flexibility	
Options	
Long Term Value	



### Measuring Service Available

Our Surveyor is available to come and measure for the staircase as insurance the staircase will work for you. this Service is available on confirmed orders at additional cost.

## Harlech Oak Staircase



#### **Harlech Oak Staircase**

#### **Specification**

Strings - 32mm EdgeLam Character Oak

Treads - 32mm EdgeLam Character Oak

Risers - 20mm EdgeLam Character Oak

Typical String Depth 265mm

Newel Posts - 150 x 150mm Oak Square

Balusters - 55mm Square Select Oak

Handrail - STHR55 Profile


Baserail - Oak STBR55 Profile

Also available with 120mm Square newel Posts

Bold Chunky Design


Exposed underside with No Wedge construction





**Square Flute Detail** 

Squere Flute Details available in Newel Posts and Balusters.



# Oak Cut String Staircases



#### **Kensington Oak Staircase**

#### **Specification**

Strings - 32mm EdgeLam Select Oak

Treads - 22mm EdgeLam Select Oak

Risers - 20mm EdgeLam Select Oak

Typical String Depth 265mm

Newel Posts - 90 x 90mm Oak Stop Chamfered

Balusters - 41mm Oak Stop Chamfered

Handrail - STHR Profile

Cut & Mitred String Detail Return Nosing and Scotia



**Curtail Entry step option** 

#### **Kensington Oak Staircases**


Traditional Cut String Staircase Construction with traditional return nosings and scotia sections Mitred string and riser connection.
Unlimited options.

**Ascending Volute option** 





Custom turned Newel and spindle option



# Oak Cut String Staircases







#### **Specification**

Strings - 32mm EdgeLam Select Oak

Treads - 22mm EdgeLam Select Oak Risers - 20mm EdgeLam Select Oak

Newel Posts - 140mm Custom Turned

Spindles - 55mm Custom Turned

Handrail - Custom Profile

Cut & Mitred String Detail with Custom Bracket

Return Nosing and Scotia





#### < Brooklyn Oak Staircase

#### **Specification**

Strings - 32mm EdgeLam Select Oak

Treads - 22mm EdgeLam Select Oak

Risers - 20mm EdgeLam Select Oak

Newel Posts - 120mm Turned Brooklyn Style

Spindles - 55mm Turned Brooklyn Style

Handrail - SHR Profile


Cut & Mitred String Detail with Bracket


Return Nosing and Scotia

Ascending Volute Detail



# **Cut String T-Staircases**





#### < Custom Cut String T-Staircase

#### **Specification**

Strings - 32mm EdgeLam Engineered Pine
Treads - 22mm EdgeLam Engineered Pine
Risers - 20mm EdgeLam Engineered Pine
Newel Posts - 120mm Turned Georgian Style
Spindles - 55mm Turned Georgian Style
Handrail - Hardwood SHR Profile
Cut & Mitred String Detail with Bracket
Return Nosing and Scotia
Ascending Volute Detail

# **New England Cut String Staircase**



#### < New England Staircase

#### **Specification**

Strings - 32mm EdgeLam Pine
Treads - 22mm Black Walnut
Risers - 20mm EdgeLam Pine
Newel Posts - 120mm New Eng

Newel Posts - 120mm New England Style Spindles - 55mm New England Style

Handrail - STHR55 Profile

Cut & Mitred String Detail with Bracket Return Nosing and Scotia

#### Walnut and White -New England Style Cut String Staircase

Built with the Heavier 120mm Newel Posts and balustrade, the New England Staircase makes a real statement staircase.

Square Flute detailed balusters and black Walnut inlays to the newel posts.

Cost £	£ £ £ £
Lifespan	
Strength	
Design Flexibility	
Options	
Long Term Value	





# **New York Cut String Staircase**

#### **New York Staircase**


#### **Specification**

Strings - 32mm EdgeLam Pine
Treads - 22mm Black Walnut
Risers - 20mm EdgeLam Pine
Newel Posts - 90mm Pine square
Spindles - 32mm Pine Square
Handrail - STHR Profile
Cut & Mitred String Detail No Bracket
Return Nosing and Scotia

#### Walnut and White -New York Cut String Staircase

Built to a more standard scale compared to the New England staircase the New York can sit well in any typical UK hallway. Unique Baluster spacings set out in clusters of 3 with each standard tread.

Cost £	
Lifespan	
Strength	
<b>Design Flexibility</b>	
Options	
Long Term Value	











# **Specification**

Strings - 32mm EdgeLam Select Oak Treads - 32mm EdgeLam Select Oak Riser Downstand - 20mm EdgeLam Select Oak Typical String Depth 265mm Newel Posts - 90 x 90mm Oak Square

Balustrade -Available with Select Oak Balusters or Vision Glass Balustrade




**Brackets** 

Cost £ Lifespan Strength **Options** 




#### New Contemporary Spindle Selection - Select Oak





# **European Staircase**




#### **European Style Staircase**


#### **Specification**

Strings - 40mm EdgeLam Select Oak
Treads - 40mm EdgeLam Select Oak
Riser Options:
Single Stainless steel Bar
Twin Stainless steel Bars
Closed Risers
Newel Posts - 90 x 90mm Oak Square
Balustrade:

40mm European style handrail Stainless steel Balusters



Single riser Bar Option





Closed riser Option


#### **Recommended Option**

#### - Structured Textured Treads for enhanced slip resistance





### **Townsend Staircase**



#### **Townsend Staircase**

#### **Specification**

Strings - EdgeLam Select Oak

Treads - 110mm EdgeLam Select Oak

Newel Posts - 120mm Oak Square

Balustrade:

Handrail - STHR55 Profile < 55mm Oak Square Balusters or Vision Glass Balustrade >


#### **Recommended Option**

- Structured Textured Treads for enhanced slip resistance










Cost £	<b>£ £ £ £</b>
Lifespan	
Strength	
<b>Design Flexibility</b>	
<b>Options</b>	
Long Term Value	

# **Z-Vision Staircase**

### **Contemporary Design**

Manufactured from Select Oak, the Z-Vision Staircase makes a bold statement in any hallway.




#### **Z-Vision Staircase**

#### **Specification**

Strings - EdgeLam Pine Construction Treads - 40mm EdgeLam Select Oak Newel Posts - 120mm Oak Square Balustrade : Handrail - STHR55 Profile 10mm Vision Glass Balustrade



# STAIRPLAN



Cost £	<b>£ £ £ £</b>
Lifespan	
Strength	
<b>Design Flexibility</b>	
Options	
Long Term Value	

#### **Recommended Option**


#### - Structured Textured Treads for enhanced slip resistance








# **Z-Vision Staircase**










# **X-Vision Staircase**


### **Bold Contemporary Design**

The X-Vision Staircase makes a Ultimate statement in your Hallway. First Impressions Count.

#### **Shown here in Black Walnut**

Double Go Feature Entry Step Option
Stepped Glass Option
Glass Recessed into Tread Option
Glass Recessed into Handrail Option







# **X-Vision Staircase**

**Shown here in Black Walnut** 

Double Go Feature Entry Step Option Stepped Glass Option Glass With Brackets Option









# **X-Vision Staircase**

#### **Shown here in Oak**

Standard Entry Step Option
Stepped Glass Option
Glass With Brackets Option







# **X-Vision Staircase**

#### **Shown here in Oak**

Double Go Feature Entry Step Option
Stepped Glass Option
Frameless Glass Option
LED Lights Option










# **X-Vision Staircase**


#### **Shown here in Black Walnut with Grey Spine**

Double Go Feature Entry Step Option
Stepped Glass Option
Glass Grooved into Handrail Option
LED Lights Option
Textured Tread Option
Landing Balustrade with HT Turns.











# **Iroko External Staircases**





iroko External Staircases

#### **Specification**

Strings - 32 - 40mm Iroko

Treads - 32 - 40mm Iroko


Risers - Iroko Downstand or Stainless Steel Safety Bar

Newel Posts - 90 x 90mm Iroko Square

Balusters - 41mm Square Iroko

Handrail - STHR Profile





**Additional Timbers available**